Step 1. Add new port

(i) Setup "Properties"



(ii)

Click "Add Port..."

Color Management		Security	Setting	
General	Sharing	Sharing Ports Adv.		
Be Re	eceipt Printer	unerste mill evict to block to	Thread diama	
ecked por Port	t. Description	Printer		
LPT1:	Printer Port	Receipt Printer		
□ LPT2 □ LPT3: □ COM6: □ COM3: □ COM3: □ COM2:	Printer Port Printer Port Serial Port Serial Port Serial Port Serial Port	TM200 With Cu		
Add Po Enable bio Enable pri	ort	2elete Port	Configure Port	

(iii) Select "Standard TCP/IP Port" and Click "New Port..."

COIOI Manay	ement	Security	Setting
General	Sharing	Ports	Advanced
	BAR		
Barrier Becein	Printer		5
Printer Por	IS		
<u>Available port</u>	types:		
Local Port			
Standard TC	P/IP Port		
New Port	Гуре	New Port	Cancel
New Port	Гуре	New Port	Cancel
New Port	Type	New Port	Cancel
New Port	Type	New Port	Cancel
New Port	Type Ian-on Dele	New Port	Cancel
New Port 1 COM2. Ser Add Port Enable bidirect	Type	New <u>P</u> ort	Cancel
New Port	Type Iarron Dele ional support pooling	New Port	Cancel

Page 2 of 5



(v) Input the IP Address configured in "Step 1."

Enter the Printer Name or IP a	ddress, and a port name for the desired device.
Printer Name or IP <u>A</u> ddress:	192.168.1.190
Port Name:	IP_192.168.1.190

Receipt Printer Ethernet port setup manual

Select "Standard - Generic Network Card" and click "Next"

Add Standard TC	P/IP Printer Port Wizard 🛛 🛛 🔀
Additional Port The device o	Information Required sould not be identified.
The device is not 1. The device is 2. The network i 3. The device is 4. The address of 1f you think the address and p select the device	found on the network. Be sure that: turned on. s connected. properly configured. on the previous page is correct. Idress is not correct, click Back to return to the previous page. Then correct perform another search on the network. If you are sure the address is correct, type below.
Device Type	
() <u>S</u> tandard	Generic Network Card
O <u>C</u> ustom	Settings
	< <u>₿</u> ack <u>N</u> ext > Cancel

(vii) Click "Finish"

Add Standard TCP/IP Printer	Port Wiza	rd	×
	Complet CP/IP	ing the Add Standard Printer Port Wizard sted a port with the following characteristics.	
SI Pr D Pr Ad	NMP: rotocol: evice: ort Name: dapter Type:	No RAW, Port 9100 192.168.1.190 IP_192.168.1.190 Generic Network Card	
T	o complete th	is wizard, click Finish. <u>< B</u> ack Finish Cancel	

Receipt Printer Ethernet port setup manual

(viii)

Click "Close"

Printer Ports	? 🛛
Available port types:	
Local Port Standard TCP/IP Port	
New Port Type	New Port

(ix) Click "Apply and it's OK!

Color Management		Security	Setting		
General	Sharing	Ports	Ad	Advanced	
Receipt I	^P rinter g port(s). Docum	ents will print to th	e first free		
Port	Descrip	ion F	rinter	^	
🗆 FILE:	Print to F	ile			
USB001	Virtual pr	inter port fo			
tm200	Standard	I TCP/IP Port			
IP_192.168.1	.190 Standard	I TCP/IP Port			
Ц СОМ10:	Local Po	nt		10-	
□ СОМ11:	Local Po	nt	-	~	
<u>.</u>	10.000				
Add Port	Dele	ete Port	Configure F	^o ort	
Transie in the					
Enable Didirectio	nai support volino				
1 c Tranie himier br	Johning				